LOWE Fuel Systems Drag Race – Supercharged Methanol – Roots Class or Heads Up 00-04



Customer name:	Address	;:	NAME OF TAXABLE PARTY.			
Suburb/City:	State:		Post Code:			
H Phone:	W Phone: M Phone:					
Email Address:						
Type of car: : (Sedan, Altered, Dragster	·) Other Cla	ass of racing:	Weight of car:			
Type of engine:	Cubic inches:	Compression:	·			
Cylinder Head Mfg:	Model Number:	P	ort Runner Vol: co			
Valve Size Intake :	_Exhaust:	Combustion Chambe	er Size:cc			
Ignition type:	Total ignition de	grees: Alte	rnator? (YES) (NO)			
Type of fuel used – circle one (Ethanol) (Methanol) (Gasoline-P	etrol) (Nitromethane) F	Percentage%			
Injector Brand / Type –		Si	ze			
Barrel Valve Design/Type:						
Clutch or converter: Does vehicle leave from idle or rpm? IF						
If the vehicle leaves the start line at any two step? Circle ONE (Throttle Pedal			with the throttle pedal or a			
Gear Change RPM to when the gear change is made? :		gear change what rpm c M (Unknown)	loes the engine drop back			
If combination has been raced before w	vhat was the best performan	ce ET	MPH			
Maximum Boost Recorded	PSI at overdrive	%				
What were the air conditions? BP	RH	% Temp	F or C			
Information for charging: Credit card d	etails:	••	Expiry			
Name on card	Last three printed digits	on the back of the card ₋				
Signature	Date					
Do you want the standard List prices o Decal Discount Price? Circle ONE	r are you willing to put a LOV LIST RDD	NE Fuel Systems sticker	on the vehicle for a Racer			

Drag Race – Supercharged Methanol – Roots Class or Heads Up 00-04 Page 1 of 3 **LOWE** Fuel Systems - Box 180 Rosewood Qld 4340 Phone 0411-699 535

LOWE Fuel Systems

Drag Race – Supercharged Methanol–Roots Class or Heads UP 00-04



Customer							Da	Date				
Camshaft												
Lobe separation								e center line				
TDC overlap						BDC overlap			1			
	Ор	Opens @ .050		Closes @ .050			Duration @ .050	Lift @ Cam	Lift @ valve	Valve Lash		
Inlet		B	TDC	AB		DC	•					
Exhaust		В	BBDC ATI		ATE	DC						
Valve Spring		Seat	Seat Pressure		(Open Pressure						
Intake												
Exhaust												
Blower Brand:	·		• 			Siz	e:					
Length of roto	rs			Year of	Man	ufacture	er					
Does blower c	ase	have intern	al "peak	s" in the (TC)P) o	r (BOTT	OM) – circle	one applicabl	e – (NONE)			
Rotor Configu	ratio	on – Circle (One appl	icable (60	degr	ee) (12	0 degree)	(Screw)				
If it is a roots f	ype	blower doe	es it have	e strips on th	ie sic	les of th	e rotors? `	YN - On the	Tips of the ro	tors Y N		
How many run	ıs siı	nce the Tef	lon was i	replaced?		Hov	v many runs	since the Nyla	atron was repla	aced?		
•		•					•	d the inside @kenlowe.		wer		
Blower overdr	ive:		%	6 Top pulley:			Во	ottom pulley: _		_		
Rate the cond When does cli If return shipp	ent r	need the un	nit return	ed by? :			se put the r	eturn shipping	address here			
Name:				A	ddre	SS:						
Suburb/City: _					_Sta	te:		Post Co	de :			
Please fill this Please insure					_							

Drag Race – Supercharged Methanol – Roots Class or Heads Up 00-04 Page 2 of 3 **LOWE** Fuel Systems - Box 180 Rosewood Qld 4340 Phone 0411-699 535

Shipping Instructions

To flow your fuel system we don't need your blower or manifold but we do need the information to understand what kind of performance to expect from those components. We do need the injector hat assembly complete, all the hoses, fuel pump, shut off and all the fittings. If you have port nozzles we need them as well along with the hoses and distribution block. We do not need the nozzle bodies that are in the manifold. Before shipping completely drain the fuel out! Take air and blow the system dry as no shipping company likes to deal with soggy boxes. Soggy boxes can fall apart and possibly lose some of your valuable fuel system. Ship your fuel system in a STURDY cardboard box and wrap each item with bubble wrap and some clear tape. Once each item is wrapped find a box big enough for all the items to be packed in. I do not recommend using Styrofoam as a packing material as it flakes off and gets in EVERY fitting, hose and poppet and must be thoroughly cleaned before we can flow it. Pack the box TIGHTLY as you do not want the parts shifting around inside the box. Be sure to wrap the barrel valve in something soft to protect it and the linkage. Use large plastic bags, or trash bags to wrap the injector and components in to help keep them clean. The cavity or the inside of the injector hat is not a good place to ship the pump as it can move around and damage the nozzle holders. Be sure the parts can't move inside the box because if they can they will damage each other. Please include as much data about your car as possible as this helps us get your base line closer. Note: Be sure to insure the shipment as things do get lost or damaged sometimes. Call us or email us to let us know you are shipping it to us so we can expect it.

We return your fuel system to you ready to bolt on and take to the start line. All adjustments have been checked and calibrated. You will be provided with a written report with nearly a hundred different test scenarios to show you what your hardware combination will flow under each of those conditions.